



Cumulative residual extropy of minimum ranked set sampling with unequal samples

M.R. Kazemi^a, S. Tahmasebi^b, C. Calì^c, M. Longobardi^{c,*}

^a Department of Statistics, Faculty of Science, Fasa University, Fasa, Iran

^b Department of Statistics, Persian Gulf University, Bushehr, Iran

^c Dipartimento di Biologia, Università di Napoli Federico II, Napoli, Italy

ARTICLE INFO

Article history:

Available online 23 April 2021

MSC:

62B10

60E15

62D05

94A17

Keywords:

Cumulative residual extropy

Discrimination measure

Minimum ranked set sampling

Stochastic ordering

ABSTRACT

Recently, an alternative measure of uncertainty called cumulative residual extropy (CREX) was proposed by Jahanshahi et al. (2019). In this paper, we consider uncertainty measures of minimum ranked set sampling procedure with unequal samples (MinRSSU) in terms of CREX and its dynamic version and we compare the uncertainty and information content of CREX based on MinRSSU and simple random sampling (SRS) designs. Also, using simulation, we study new estimators of CREX for MinRSSU and SRS designs in terms of bias and mean square error. Finally, we provide a new discrimination measure of disparity between the distribution of MinRSSU and parental data SRS.

© 2021 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

Ranked set sampling (RSS) design is a cost-effective sampling for situations where taking actual measurements on units is expensive but ranking units is easy. For the first time, based on the RSS sampling design, McIntyre [1] provided a more efficient estimator of the population mean comparing to the simple random sampling (SRS) counterpart. To learn more about this concept, the readers can refer to Patil et al. [2]. There are many available studies that have developed and generalized the method of sampling used in RSS scheme and they efficiently estimate the population parameter comparing to the SRS scheme. Recently, Qiu and Eftekharian [3] studied information content of minimum ranked set sampling procedure with unequal samples (MinRSSU) as useful modification of RSS procedure in terms of extropy. In the MinRSSU, we draw m simple random samples, where the size of the i th samples is i , $i = 1, \dots, m$. The one-cycle MinRSSU involves an initial ranking of m samples of size m as follows:

$$\begin{array}{llll} 1 : & \mathbf{X}_{(1:1)1} & & \rightarrow \tilde{X}_1 = X_{(1:1)1} \\ 2 : & \mathbf{X}_{(1:2)2} & X_{(2:2)2} & \rightarrow \tilde{X}_2 = X_{(1:2)2} \\ \vdots & \vdots & \vdots & \vdots \\ m : & \mathbf{X}_{(1:m)m} & X_{(2:m)m} \cdots X_{(m:m)m} & \rightarrow \tilde{X}_m = X_{(1:m)m} \end{array}$$

* Corresponding author.

E-mail address: maria.longobardi@unina.it (M. Longobardi).